INDEX

Acognatha erythodera, potato, Bolivia, 187
Aconophora spp., fruit, Bolivia, 100
Acordulecera sp., potato, Bolivia, 187
Acythopeus granulipenis, watermelon, Israel, 14
Adelopus gaümanni, douglas fir, Italy, 166
Aetalion spp., apple, Bolivia, 100
Ageratum conyzoides, virus, Ceylon, 21
Agonoscelis versicolor, sorghum, Sudan, 4
Agriotes obscurus, grains, Canada, 60
Agropyron intermedium, bug, Canada, 43
Agrostis palustris, seed gall, USA, 108
» *tenuis*, seed gall, USA, 108
Aibika, virus, New Guinea, 155
Aiolopus savignyi, sorghum, Sudan, 4
Alabama argillacea, cotton, Bolivia, 99
Aleurothrixus floccosus, fruit, Bolivia, 100
Alfalfa, mites, Bolivia, 100
Allograpta exotica, predator of aphids, Bolivia, 99
» *obliqua*, predator of aphids, Bolivia, 99
Almond, pests, Israel, 13; webworm, Afghanistan, 54; leaf curl, Libya, 171
Alopecurus pratensis, diseases, Finland, 103
Alternaria spp., cotton, Sudan, 162; cypress, Italy, 110; soybean, USA, 26; tomato, Israel, 14; wheat, Spain, 62
Alternaria gossypina, cotton, Sudan, 162
» *ricini*, castor, Sudan, 164
» *solani*, tomato, India, 12
» *tenuis*, tomato, India, 12
» *tomato*, tomato, India, 12
Amblyteles spp., Bolivia, 98
Amphimallon majalis, turf, USA, 172
Amphitetranychus viennensis, fruit, Europe, 74
Anarsia lineatella, almond, Libya, 171
Anastrepha fraterculus, fruit, Bolivia, 100
» *ludens*, citrus, USA, 141; fruit, USA, 173
Anguina sp., orchard grass, USA, 108
» *agrostis*, grasses, USA, 108
Anisoplia leucaspis, wheat, Israel, 14
Anychus orientalis, citrus, Israel, 74
Aonidiella aurantii, citrus, Afghanistan, 54; Israel, 13
Apate monacha, fruit, ornamentals, Israel, 13
Aphelenchoides olesistus, mint, USA, 168
» *parietinus*, mint, USA, 168
» *ritzema-bosi*, mint, USA, 168
Aphelenchus avenae, citrus, USA, 38; avocado, USA, 106
Aphids, fruit, Bolivia, 100; potato, Bolivia, 98
Aphis gossypii, citrus, Bolivia, 100; cotton, Afghanistan, 54; Bolivia, 99
Aphis spiraecola, citrus, Bolivia, 100
Aphomia gularis, stored products, Canada, 44
Apion longirostre, hollyhock, Canada, 44
Apple, codling moth, Libya, 171; diseases, Israel, 14; pests, Afghanistan, 54; Bolivia, 100; red spiders, Europe, 71, 74; scab, Denmark, 93; Italy, 109; Libya, 171
Apricot, fruit fly, Libya, 171; mites, Denmark, 93; twig blight, Libya, 171
Argyria sp., sugar cane, Afghanistan, 54
Argyroploce schistaceana, sugar cane, Mauritius, 82
Armillaria mellea, cacao, Gold Coast, 132; strawberry, USA, 149
Arrowroot, leaf roller, St. Vincent, 82
Artona catoxantha, coconut, Singapore, 81
Ascochyta sorghina, sorghum, Sudan, 75
Ash, sawfly, Canada, 43
Asparagus, beetle, USA, 122
Aspergillus niger, cotton, Sudan, 162; peanuts, Sudan, 164
Aspidiotus camelliae, prune, Bolivia, 100
» *perniciosus*, poplar, Italy, 109
Atherigona spp., sorghum, Sudan, 4
Atriplex canescens, curly top, USA, 87
Atta laevigata ligeri, crops, Bolivia, 101
» *sexdens fuscata*, crops, Bolivia, 101
» *sexdens rubropilosa*, crops, Bolivia, 101
Attagenus alfieri, USA, 173
Avocado, mealy bug, Israel, 13; nematodes, USA, 106
Azalea, leaf miner, New Zealand, 61

Bacca clavata, predator of aphids, Bolivia, 99
Balch, R. E., 83
Banana, borer, Dominica, 82; diseases, New Guinea, 155
Barley, diseases, Denmark, 93; Sudan, 77; root rot, Spain, 62
Bean, beetle, USA, 189; rust, USA, 149, 179
Belonolaimus gracilis, various crops, USA, 38
Bemisia gossypiperda, cotton, Sudan, 2; vector of leaf curl, Sudan 161
Betel pepper, mosaic, New Guinea, 156
Biraghi, A., 166
Black currant, midge, Denmark, 93
Black pepper, disease, Sarawak, 188
Blissus leucopterus, cereals, USA, 110
Botrytis sp., bean, USA, 179
Breadfruit, *Icerya aegyptiaca*, Gilbert Islands, 44
Brevipalpus australia, citrus, Israel, 13, 74
» *orchidarum*, orchids, Germany, 74
» sp., fruit, Israel, 74
Briejèr, C. J., 177
Broccoli, rootworm, Italy, 109
Bryobia praetiosa, citrus, France, 74; pear, Bolivia, 100; various plants, Europe, 71
Bupalus piniarius, pine, UK, 140
Busseola fusca, grains, Nigeria, 81

Cabbage, *Lixus*, Italy, 109
Cacao, diseases, 129; Latin America, 49; mirid, Nigeria, 81; virus, Ceylon, 17; witches' broom, Grenada, 65
Cacoecia oporana, snowberry, Canada, 28
Calendra oryzae, stored grain, Sudan, 5
Calostilbe striispora, *Erythrina*, Colombia, 52
Calpodes ethlius, arrowroot, St. Vincent, 82
Canna, mosaic, New Guinea, 155
Cantatops axillaris, sorghum, Sudan, 4
Capnodis tenebrionis, fruit, Israel, 13
Carnation, pimple, USA, 136
Carpocapsa pomonella, Apple, Afghanistan, 54; Libya, 171
Castor, diseases, Sudan, 164
Centrosoma pubescens, mosaic, New Guinea, 155
Cephaleuros mycoidea, coffee, Sudan, 164
Ceratitis capitata, fruit, Bolivia, 100; Lebanon, 138; Libya, 171, 172
Ceratostomella fimbriata, cacao, Venezuela, 51
Cercopidae, sugar cane, Bolivia, 99
Cercospora arachidicola, peanut, Sudan, 164
» *bidentis*, sunflower, Sudan, 164
» *coffeicola*, coffee, Sudan, 164
» *elaedis*, oil palms, Sudan, 164
» *gossypina*, cotton, Sudan, 163
» *kikuchii*, soybean, USA, 27
» *musae*, banana, New Guinea, 155
» *nicotiana*, tobacco, Sudan, 165
» *oryzae*, rice, Sudan, 77
» *personata*, peanut, Sudan, 164
» *ricinella*, castor, Sudan, 164
» *sesami*, sesame, Sudan, 163
» *sojina*, soybean, USA, 26
» *sorghi*, sorghum, Sudan, 75
» sp., jute, Sudan, 163; soybean, USA, 26
Cercosporella herpotrichoides, cereals, Denmark, 93
Ceroplastes floridensis, citrus, Israel, 13
Chalcodermus spp., cotton, kenaf, Bolivia, 99, 100
Chalcosoma atlas, coconut, Netherl. New Guinea, 61
Chard, virus yellows, USA, 24
Cherelle wilt, cacao, Trinidad, 51
Cherry, leaf hopper, Canada, 28; virus, Europe, 66; USA, 136
Chestnut, pests, Italy, 109
Chiaromonte, A., 41
Chilli, leaf curl, Ceylon, 20
Chilo zonellus, maize, Afghanistan, 53
Choristoneura fumiferana, control, Canada, 68, 83
Chortophila brassicae, broccoli, Italy, 109
» *floralis*, swede, Denmark, 93
Chowdhury, S., 151
Chrysanthemum, virus B, USA, 56
Chrysomphalus aonidum, citrus, Israel, 13
» dictyospermi, citrus, Libya, 172; Tripolitania 113
Chrysomyxa rhododendri, spruce, Italy, 166
Cinara juniperi, juniper, Canada, 44
» *murrayanae*, pine, Canada, 44
Cimbex quadrimaculata, fruit, Israel, 13
Circulifer tenellus, vector of curly top, USA, 86, 110
Cirphis unipuncta, wheat, Afghanistan, 53; crops, USA, 140
Citrus, deficiencies, India, 151; exocortis, USA, 119; fruit fly, Lebanon, 138; USA, 141; Mealybug, Italy, 109; nematodes and spreading decline, USA, 36; pests, Afghanistan, 54; Bolivia, 99; Libya, 172; red spiders, Europe, 71; Israel, 74; scales, Bolivia, 187; Tripolitania, 113
Cladosporium herbarum, rice, Sudan, 77
» spp., cotton, Sudan, 162; sorghum, Sudan, 76
Clasterosporium carpophilum, stone fruits, Libya, 171
Clemora smithi, sugar cane, Mauritius, 81
Clinodiplosis oleisuga, olive, Italy, 109
Clitocybe tabescens, peach, USA, 7
Clover, leaf weevil, Canada, 61; virus, Netherlands, 66
Cnephasia longana, beet, Denmark, 93
» *virgaureana*, various plants, Canada 28
Coccus hesperidum, citrus, Libya, 172; Tripolitania, 113
» *viridis*, citrus, Bolivia, 100
Cochliobolus heterostrophus, maize, Sudan, 76
Coconut, pests, Netherl. New Guinea, 61; Seychelles, 82; Singapore, 81; weevil, USA, 122
Coffee diseases, Sudan, 164; leaf miner, Dominica, 82
Coffee Technologists Meeting, Latin American 32
Colletotrichum capsici, peanut, Sudan, 164
» *gloesporioides*, cacao, 131
» *graminicola*, sorghum, Sudan, 75
» spp., cacao, Colombia, 51; soybean, USA, 27
» sorghum, Netherl. New Guinea, 121
Commonwealth Entomological and Mycological Conferences, 96, 176
Contarinia sorghicola, sorghum, Sudan, 4; Nigeria, 81
Copitarsia consueta, potato, Bolivia, 97
Corynespora cassiicola, soybean, USA, 26
Coryneum sp., cypress, Italy, 110
Cotterell, G. S., 53
Cotton diseases, Sudan, 161-163; leafworm, Sudan, 122; lygaeid, Bolivia, 187; pests, Afghanistan, 54; Bolivia, 99; Sudan, 2-4; pink bollworm, Eritrea, 41; Nigeria, 81; stem moth, USA, 29; thrips, Israel, 15
Cosmopolites sordidus, banana, Dominica, 82
Creontiades pallidus, cotton, Sudan, 3
Criconemoides citri, avocado, USA, 106
» sp., turf, USA, 170
Crioceris asparagi, asparagus, USA, 122
Crocidosema plebejana, abutilon, Sudan, 42
Crotalaria, mosaic, Ceylon, 18; New Guinea, 155
Cucumber, mosaic, Ceylon, 21; New Guinea, 156
Cucumis virus 1, chrysanthemum, USA, 56
Cucurbits, beetle, Israel, 14
Cuerna centrolineata, alfalfa, Bolivia, 100
Curculio elephas, chestnut, Italy, 109
Curvularia sp., sorghum, Sudan, 76
Cycloneda sanguinea, predator of aphids, Bolivia, 99
Cydia amplana, chestnut, Italy, 109
» *splendana*, chestnut, Italy, 109
Cylindrocladium scoparium, rose, USA, 149
Cynaeus angustus, cereals, Canada, 44
Cypress, die-back, Italy, 110

Dactylis glomerata, winter injury and diseases, Finland, 104; nematode, USA, 108

Dacus oleae, olive, Italy, 109; Libya, 172; Control, 89
Dasyneura brassicae, rape, Denmark, 93
» *tetensi*, blackcurrants, Denmark, 93
Date palm, *Diocalandra frumenti*, British Somaliland, 78
Deficiencies, citrus, India, 151; crops, Denmark, 93
Desmodium sp., mosaic, New Guinea, 155
De Tempe, J., 145
Diaporthe phaseolorum, var. *sojae*, soybean, USA, 26
Diaprepes abbreviatus, citrus, Dominica, 82
Diaspis sp., peach, Bolivia, 100
Diatraea dyari, sugar cane, Bolivia, 99
» *grandiosella*, maize, USA, 29
» *rufescens*, sugar cane, Bolivia, 99
» *saccharalis*, sugar cane, Bolivia, 99
Diocalandra frumenti, date palms, British Somaliland, 78
Dioryctria mendacella, pine, Italy, 110
» *pineae*, pine, Italy, 110
Diparopsis castanea, cotton, Eritrea, 41
» *perditor*, cotton, Sudan, 3, 4
Diplodia macrospora, maize, Sudan, 76
» *theobromae*, cacao, 132
Diptherophora, sp., turf, USA, 170
Distantiella theobroma, cacao, Nigeria, 81
Ditylenchus destructor, mint, USA, 168; potato, USA, 94
» *dipsaci*, rye, Denmark, 93
» sp., hydrangea, USA, 8
Dizygomyza cepae, onion, Singapore, 81
Dolichos hoseii, mosaic, New Guinea, 155
Dorylaimellus sp., turf, USA, 170
Dorylaimus sp., turf, USA, 170
Douglas fir, needle cast, Italy, 166
Dysdercus spp., cotton, Bolivia, 99; Sudan, 4

Earias biplaga, cotton, Eritrea, 41
» *insulana*, cotton, Sudan, 3
Eckelrader disease, cherry, Netherlands, 66; USA, 136
Eggplant, little leaf, Ceylon, 20; wilt, India, 11
Eldana saccharina, grains, Nigeria, 81
Elm, weevil, Canada, 60
Emmalocera depressella, sugar cane, Afghanistan, 54
Empoasca lybica, cotton, Sudan, 2
» spp., potato, Bolivia, 98
Encarsia spp., parasite of cotton whitefly, Sudan, 2
Enchodelus sp., turf, USA, 170
Eotetranychus telarius, trees, Western Europe, 71
» *tiliarum*, linden, USA, 189
Epicauta spp., potato, Bolivia, 98
Epilachna varivestis, bean, USA, 189
Epitrix spp., potato, Bolivia, 98
» *ubaquensis*, potato, Bolivia, 150
Eretmocerus diversiciliatus, parasite of cotton whitefly, Sudan, 2
Eriophyes pyri, pear, Bolivia, 100
Eriopis 17-pustulata, predator of aphids, Bolivia, 99
Erysiphe cichoracearum, mint, USA, 179
» *graminis*, wheat, Sudan, 7
» sp., papaya, New Guinea, 156
Erythrina lithosperma, virus, Ceylon, 18
» *poeppigiana*, diseases, Trinidad, 52
Erythroneura flammigera, cherry, Canada, 28
Eucephalobus spp., turf, USA, 170
Eucoptus depressus, coconut, USA, 122
Eumargarodes laingi, grasses, USA, 172
Euphyllura olivina, olive, Libya, 184
Euproctis signata, fruit, Afghanistan, 54
European aspen, rust, Italy, 166
European Forestry Commission, 64
European Plant Protection Organization, 64, 112, 144
Euscelis plebejus, ssp. *plebejus*, clover, Netherlands, 67

False broomrape, tobacco, USA, 134
Festuca pratensis, diseases, Finland, 104
» *rubra* var. *commutata*, nematode, USA, 108
Ferrisia virgata, fruit, Sudan, 4
Fig, maggot, Israel, 13; red spiders, Europe, 74
Finger millet, diseases, Sudan, 76
Flavimacula ipomoeae, sweet potato, USA, 148
Flieger, B. W., 68
Fomes spp., cacao, 132
Forficula auricularia, USA, 189
Frankliniella tuberosi, potato, Bolivia, 98
Fusarium culmorum, cereals, Spain, 62
» *nivale*, cereals, Finland, 102
» *solani* f. *phaseoli*, bean, USA, 180
» spp., cotton, Sudan, 162; various crops, Israel, 14
» *vasinfectum*, cotton, Sudan, 162
Fusioladium dendriticum, apple, Israel, 14

Gaeumannomyces graminis, wheat, USA, 26
Gibberella spp., maize, Sudan, 76
Gloeocercospora sorghi, sorghum, Sudan, 75
Gloeosporium limetticola, lime, Dominica, 65
» *olivarum*, olive, Italy, 109
» sp., apple, Israel, 14
Gnorimoschema operculella, potato, Bolivia, 97; Japan, 188
Golofa pelagon, maize, Bolivia, 187
Gonodonta incurva, citrus, Dominica, 82
Gracilaria azaleela, azalea, New Zealand, 61
Grape, diseases, Israel, 14; ground pearl, USA, 172; scale, Canada, 60
Grapefruit, fruit fly, Sudan, 4
Guava, fruit fly, Sudan, 4; Israel, 13
Gymnandrosoma, sp., citrus, Dominica, 82

Hall, W. J., 44, 78, 81
Heliothis armigera, cotton, Afghanistan, 54; Sudan, 3
Heliothrips haemorrhoidalis, citrus, Bolivia, 100
» *striatoptera*, maize, Netherl. New Guinea, 61
Helminthosporium gramineum, barley, Denmark, 93
» *nodulosum*, finger millet, Sudan, 76
» *oryzae*, rice, Sudan, 77
» *turcicum*, sorghum, Sudan, 75
» *sativum*, wheat, Spain, 62
Hemicycliophora sp., citrus, USA, 39
Hemileia vastatrix, coffee, Sudan, 164
Hercothrips fumipennis, cotton, Sudan, 2
Heterodera major, oat, Denmark, 93
» *marioni*, black pepper, Indochina, 188
» *rostochiensis*, potato, Algeria, 60; Europe, 175
» sp., turf, USA, 169
Hollyhock, curculio, Canada, 44; stem moth, USA, 45

Hop, wilt, New Zealand, 61
Hoplolaimus coronatus, citrus, USA, 39; turf, USA, 170
Horseradish, virus, USA, 86
Husseini, Shafiq Y., 22
Hyalopterus pruni, almond, Israel, 13
Hydrangea, nematode, USA, 8
Hylemya cilicrura, potato, Bolivia, 98
Hypera nigrirostris, clover, Canada, 61
Hyperaspis festiva, predator of aphids, Bolivia, 99
Hyponomeuta padellus marginellus, almond, Afghanistan, 54

Icerya aegyptiaca, breadfruit, Gilbert Islands, 44
» *purchasi*, citrus, Tripolitania, 113; fruit, Bolivia, 100
Inter-American Technical Committee on Cacao, 126
International Chestnut Commission, 16
International Commission on Plant Disease Losses, 80, 191
International Congress of Botany, 16
International Congress on Mediterranean Citrus Culture, 159
International Plant Protection Convention, 16, 48, 64, 94, 145, 159
International Seed Testing Association, 146
Irbisia arcuata, wheatgrass, Canada, 43

Jamalainen, E. A., 102
Joyce, R. J. V., 1, 122
Juniper, aphid, Canada, 44
Jute, diseases, Sudan, 163

Kenaf, curculionids, Bolivia, 99, 100

Lampetia equestris, narcissus, Japan, 188
Laphygma frugiperda, crops, Bolivia, 100
Lean, O. B., 33
Lecanium sp., fruit, Afghanistan, 54
Legumes, red spiders, Europe, 71; mosaic, New Guinea, 155
Lepidosaphes beckii, fruit, Bolivia, 99
» *citricola*, citrus, Libya, 172; Tripolitania, 113
» *gloverii*, fruit, Bolivia, 99
» *ulmi*, poplar, Italy, 154
Leptinotarsa decemlineata, potato, Europe, 175
Leucoptera coffeella, coffee, Dominica, 82
Leveillula taurica, jute, sesame, Sudan, 163
Lime, diseases, Dominica, 65
Liothrips oleae, olive, Italy, 154
Livingstone, Erskin M., 121
Lixus sp., cabbage, Italy, 109
Loganberry, leafhopper, Canada, 28
Logothetis, C., 89
Lolium spp., winter injury and diseases, Finland, 104
Locust, desert, 5, 16, 33, 125, 159
Locusta migratoria migratoriodes, sorghum, Sudan, 4
Longidorus sp., mint, USA, 168
» *sylphus*, turf, USA, 170
Loranthus sp., cacao, 133
Louchaea aristella, fig, Israel, 13
Lygus nigrosignatus, mustard, Canada, 43

MacNay, C. G., 28, 43, 60, 182
Macrophoma sp., apple, Israel, 14
Macrophomina phaseoli, sorghum, Sudan, 76; cotton, Sudan, 162
Macropsis fuscula, loganberry, Canada, 28; vector of virus, raspberry, 67
Macrosiphoniella sanborni, chrysanthemum, USA, 58
Maize, borers, Afghanistan, 53; Israel, 14; Netherl. New Guinea, 45; USA, 29, 110; diseases, Sudan, 76; mosaic, New Guinea, 155; pests, Bolivia, 100, 150; Netherl. New Guinea, 61; Nigeria, 18; scarabaeid, Bolivia, 187
Malacosoma sp., almond, Afghanistan, 54
Malampsorella ricini, castor, Sudan, 164
Malvaceae, leaf curl, Sudan, 161
Mangel, virus yellows, USA, 24
Mango, fruit fly, Sudan, 4; mealy bug, Israel, 13
Marasmius perniciosus, cacao, 129; Latin America, 50; Grenada, 65
Margarodes meridionales, grape, USA, 172
Marmor persicae, plum, Yugoslavia ,79
Martin, Henri, 113, 171, 184
Mediterranean Fruit Fly Meeting, 80
Melampsora pinitorqua, pine, Italy, 166
Melittomma insulare, coconut, Seychelles, 82
Meloidogyne hapla, mint, USA, 168
» sp., mint, USA, 168
Mesomorphus sp., hay, Israel, 15
Metamasius anceps, sugar cane, Bolivia, 98, 150
» bilobus, sugar cane, Bolivia, 150
Metatetranychus ulmi, various hosts, Europe, 71
Meteorus chilensis, parasite of cutworms, Bolivia, 98
Microbracon kirkpatricki, parasite of pink bollworm, Sudan, 42
Microceromasia sphenophora, parasite of sugar cane weevil, Bolivia, 99
Miller, Paul R., 7, 24, 36, 56, 66, 86, 94, 106, 117, 134, 148, 168, 179
Millet, pests, Nigeria, 81
Mint, disease, USA, 179; nematodes, USA, 168
Mishra, J. N., 11
Mocis latipes, field crops, Bolivia, 100, 150, 187
Moll, H. W., 45, 61, 121
Monilia roreri, cacao, Colombia, Ecuador, 50, 131
Morris R. F., 83
Mung bean, diseases, India, 11, 12
Munro, J. Alex, 97, 150, 187
Mustard, *Lygus* bug, Canada, 43
Mycosphaerella musicola, banana, Dominica, 65
Myrothecium roridum, vegetables, India, 11
Myzus persicae, vector of viruses, USA, 24, 58
» *solani*, vector of viruses, USA, 58

Narcissus, bulb fly, Japan, 188
Nasser, Adel Abou, 138
National Plant Quarantine Services, Changes in, 191
Newton, William, 17, 40
Nutmeg, root disease, Grenada, 65

Oat, diseases, Denmark, 93
Oca beetle, Bolivia, 187
Oidiopsis sp., tomato, Israel, 14
Oidium sp., sunflower, Sudan, 164

Oil palm, leaf spot, Sudan, 164
Okra, leaf spot, India, 11; mosaic, Ceylon, 18
Olive pests, Italy, 109, 154; Libya, 172, 184; Mediterranean, 89
Onion, nematode, Denmark, 93
Oospora *lactis-parasitica*, tomato, India, 12
Ophiobolus *graminis*, wheat, Sudan, 77
» *miyabeanus*, rice, Sudan, 77
Opiine, parasite of fruit flies, Bolivia, 100
Orange, pests, Sudan, 4
Orchid, red spider, Germany, 74; scale, USA, 122
Orellana, Rodrigo G., 49
Ornamentals, beetle, Israel, 13; curly top, USA, 87
Orobanche, tobacco, USA, 134
Orthezia *praelonga*, citrus, Bolivia, 187
Oryctes *rhinoceros*, legislation, New Hebrides, 82; coconut, Netherl. New Guinea, 61
Oryzaephilus *mercator*, grains, Canada, 44
Oxycarenus *hyalinipennis*, cotton, Bolivia, 187

Pachydiplosis oryzae, rice, Sudan, 122
Pachynematus *sporax*, wheat, USA, 122
Panagrolaimus sp., turf, USA, 170
Pandanus, mosaic, New Guinea, 156
Papaya, mosaic, New Guinea, 156
Paratheresia *claripalpis*, parasite of sugar cane borers, Bolivia, 99
Paratylenchus *macrophallus*, mint, USA, 168
» spp., mint, USA, 168
Paradalaspis *quinarii*, fruit, Sudan, 4
Parlatoria *pergandei*, citrus, Tripolitania, 113
» *ziziphi*, citrus, Tripolitania, 113
Passion fruit, woodiness disease, New Guinea, 156
Peace, T. R., 140
Peach, diseases, Libya, 171; mite, Denmark, 93; pests, Bolivia, 100, 187; Libya, 171; root rot, USA, 7
Peanut, blight, India, 12; cotton worm, Israel, 14; diseases, Israel, 15; Sudan, 164
Pear, pests, Bolivia, 100; Libya, 171
Pearl millet, diseases, Sudan, 76
Pectinophora *gossypiella*, cotton, Bolivia, 99; USA, 45
Pegomyia *hyoscyami*, beet, Denmark, 93
Peiris, J. W. L., 17
Pellicularia *rolfsii*, eggplant, India, 11
» sp., cacao, 132
Pentalonia *nigronervosa*, vector of bunchy top, New Guinea, 155
Pentarthrum *huttoni*, wood, Canada, 28
Petunia, chrysanthemum virus B, USA, 56
Peregrinus sp., maize, Netherl. New Guinea, 61
Peronospora *manshurica*, soybean, USA, 26
» *schachtii*, sugar beet, Denmark, 93
Phaseolus spp., mosaic, Ceylon, 18
Pheidole *rugaticeps*, control, Sudan, 75
Phenococcus *hirsutus*, fruit, Sudan, 4
Phleum *pratense*, winter injury and diseases, Finland, 103
Phloemyzus *passerini*, poplar, Italy, 109
Phyllachora *eleusines*, finger millet, Sudan, 76
Phyllobius *oblongus*, trees, Canada, 60
Phyllocnistis sp., citrus, Afghanistan, 54
Phyllocoptes *fockeui*, fruits, Denmark, 93
Phyllocoptruta *oleivora*, citrus, Israel, 13; Lebanon, 139
Phyllosticta *sorghina*, sorghum, Sudan, 75
» sp., peanut, Sudan, 164; soybean, USA, 26
Physalis, *chrysanthemum* virus B, USA, 56
Physiological wilt, cotton, Sudan, 162
Physoderma *maydis*, maize, Sudan, 76
Phytophthora *infestans*, potato, Bolivia, 98; Israel, 14; tomato, Israel, 14
» *palmivora*, cacao, 130; Latin America, 51
» sp., cacao, Trinidad, etc., 51
Pigeon pea, viruses, Ceylon, 17
Pine, aphid, Canada, 44; looper moth, England, 140; pyralids, Italy, 110; shoot moth, Canada, 61; rust, Italy, 166
Pineapple, pests, Bolivia, 100
Piricularia *grisea*, pearl millet, Sudan, 76
» *oryzae*, rice, Sudan, 77
Planococcus *citri*, vector of tobacco mosaic, Ceylon, 40
Plantain, bunchy top, Ceylon, 20
Plant Protection Agreement, Central America, 96
Plasmopara *viticola*, grape, Israel, 14
Platyedra *gossypiella*, cotton, Sudan, 4; Eritrea, 41; Nigeria, 81
Platyedra *vitella*, cotton, USA, 29; hollyhocks, USA, 45
Pleospora *teres*, barley, Denmark, 93
Plum, mite, Denmark, 93; moth, Afghanistan, 54; pests, Israel, 13; pox, Yugoslavia, 79; shoot hole, Israel, 14
Poa *serotina*, winter injury and disease, Finland, 104
Podagrica *puncticollis*, cotton, Sudan, 2, 3
Podosphaera *leucotricha*, apple, Israel, 14
Pollinia *pollini*, olive, Libya, 172
Poncirus *trifoliata*, exocortis, USA, 119
Pomegranate, beetle, Israel, 13
Poplar, aphid, Italy, 109; rust, Italy, 166; scale, Italy, 154
Potato, diseases, Israel, 14; leaf roll, New Guinea, 156; nematode, Algeria, 60; USA, 94; pests, Bolivia, 97, 150, 187; red spider, Europe, 71; thrips, Israel, 14; tuberworm, Japan, 188; witch's broom, England, 66
Porthetria *dispar*, forest, USA, 78, 157; Yugoslavia, 78
Pratylenchis *pratensis*, avocado, USA, 106; citrus, USA, 39; turf, USA, 169
Prays *oleae*, olive, Italy, 109; Mediterranean, 91
Premnotrypes *latithorax*, potato, Bolivia, 97
» spp., potato, Bolivia, 97
Pseudaletia *unipunctata*, see *Cirphis unipunctata*
Pyrausta *nubilalis*, maize, USA, 29, 110; Netherl. New Guinea, 45

Quarantine legislation, Algeria (France), 63, 123; Argentina, 46; Australia, 95, 142, 190; Belgium, 123; British Guiana, 63; British Honduras, 190; Cuba, 173; Denmark, 142; Federal Republic of Germany, 142; Federation of Malaya, 111; France, 173; German Democratic Republic, 111; Greece, 123, Guatemala, 123; Honduras, 30, 123; India, 124, 190; Italy, 95; Mauritius, 30, 46, 111; Netherlands, 46, 124, 158; North Borneo, 63; Sweden, 174, Trinidad and Tobago, 30; Tunisia, 63; Uganda, 95; Union of South Africa, 46; United Kingdom, 111, 124,

143, 158; United States, 125, 143, 174, 190; Uruguay, 31; Viet-Nam, 31, 46
Quelea quelea aethiopica, sorghum, Sudan, 4

Radopholus similis, avocado, USA, 106; citrus, USA, 36, 106
Ramularia areola, cotton, Sudan, 163
» sp., strawberry, Israel, 14
Ramulispora sorghi, sorghum, Sudan, 75
Rape, flea beetle, Canada, 28; pests, Denmark, 93
Red Clover, winter injury and diseases, Finland, 104
Rhagoletis psalida, potato, Bolivia, 98
Rhaphidopalpa foveicollis, cucurbits, Israel, 14
Rhinaphe vectiferella, rice, Nigeria, 81
Rhizoctonia solani, cotton, Sudan, 162; strawberry, Israel, 14
» sp., peanut, India, 12
Rhizopertha dominica, stored grain, Afghanistan, 55; Sudan, 5
Rhododendron, rust, Italy, 167
Rhopalosiphum rufomaculatum, vector of chrysanthemum virus B, USA, 58
Rhyacionia buoliana, pine, Canada, 61
Rice, borers, Afghanistan, 53; Netherl. New Guinea, 45; Nigeria, 81; diseases, Sudan, 77; gall fly, Sudan, 122; pests, Bolivia, 100, 150, 187
Rodolia cardinalis, control of scales, Bolivia, 100; Gilbert Islands, 44; Tripolitania, 115
Roeseliana roeselii, Canada, 28
Rose, crown canker, USA, 149
Rosellinia necatrix, strawberry, USA, 149
» pepo, nutmeg, Grenada, 65
» spp., cacao, 133; Ecuador, 51
Rotylenchus erythrinae, turf, USA, 169
Ruga verrucosans, sugar beet, USA, 86
Rye, diseases, Denmark, 93; winter injury and diseases, Finland, 102

Saccharosydne saccharivora, sugar cane, Jamaica, 82
Sahlbergella singularis, cacao, Nigeria, 81
Safflower, rust, Sudan, 164
Saissetia oleae, olive, Libya, 172
» sp., citrus, Afghanistan, 54
Sarcophaga lombens, parasite of rice insect, Bolivia, 187
Sawada, K., 188
Schiffnerula ricini, castor, Sudan, 164
Schizonycha sp., sorghum, Sudan, 75
Schoenobius incertellus, rice, Afghanistan, 53
Scirpophaga innotata, rice, Netherl. New Guinea, 45
Sclerospora sorghi, pearl millet, Sudan, 76
» sp., sugar cane, Mauritius, 65
Sclerotinia borealis, grasses, Finland, 102
» *graminearum*, grasses, Soviet Union, 103
» *sclerotiorum*, turnip rape, Finland, 104
» *trifoliorum*, clover, Finland, 104
Sclerotium bataticola, soybean, USA, 27
» *rolfsii*, soybean, USA, 27; sugar beet, Israel, 15
» sp., peanut, Israel, 15
Scudderia septentrionalis, Canada, 43
Selanaspidus articulatus, fruit, Bolivia, 99
Septoria sp., tomato, Israel, 14
Sesame, diseases, Sudan, 163
Sesamia calamistis, sugar cane, Mauritius, 82
» *cretica*, grains, Israel, 14; sorghum, Sudan, 4
Sida acuta, virus, Ceylon, 21
Sitophilus oryzae, stored grain, Afghanistan, 55
Sitotroga cerealella, stored grain, Sudan, 5
Sorghum, anthracnose, Netherl. New Guinea, 121; diseases, Sudan, 75; pests, Nigeria, 81; Sudan, 4, 75; wireworm, Israel, 14
Soybean, diseases, USA, 26
Sphacelotheca cruenta, sorghum, Sudan, 75
» *reiliana*, sorghum, Sudan, 75; maize, Sudan, 76
» *sorghi*, sorghum, Sudan, 75
Sphaeronema sp., cacao, 132
Sphaerostilbe repens, lime, Dominica, 65
Sphaerotheca fuliginea, sesame, jute, Sudan, 163
Spinach, virus yellows, USA, 24
Spruce, needle rust, Italy, 166
Squash, leaf spot, USA, 180; mosaic, Ceylon, 21
Stachytarpheta jamaicensis, virus, Ceylon, 21
Strategus jugurtha, pineapple, Bolivia, 100
Strawberry, diseases, Israel, 14; root rot, USA, 149; virus, USA, 117; weevil, Canada, 60
Struthantus sp., cacao, 133
Sugar beet, curly top, USA, 86; downy mildew, Denmark, 93; leaf hopper, USA, 110; pests, Denmark, 93; sclerotium rot, Israel, 15
Sugar cane, cane fly, Jamaica, 82; mildew, Mauritius, 65; pests, Afghanistan, 54; Bolivia, 98, 150; Mauritius, 81
Sunflower, diseases, Sudan, 164; rust, Israel, 15; unidentified disease, Uganda, 188; wireworm, Israel, 14
Sweet potato, mosaic, Ceylon, 18; USA, 148
Swollen shoot, cacao, 130; Gold Coast, 17
Synedrella nodiflora, virus, Ceylon, 21
Syringopais temperatella, cereals, Jordan, 22, 121
Systena sp., oca, Bolivia, 187

Table beet, virus yellows, USA, 24
Tamarisk, bacterial disease, USA, 106
Taphrina deformans, fruit, Libya, 171
Taro, mosaic, New Guinea, 156
Tarr, S.A.J., 75, 161
Tea, phloem necrosis, Ceylon, 21
Tenebrioidae, various crops, Israel, 14
Tenuipalpus oudemansi, apple, Germany, 74
Tephrosia sp., mosaic, New Guinea, 155
Tetranychus desertorum, alfalfa, Bolivia, 100
» sp., fig, Portugal, 74
» *urticae*, various plants, Europe, 71, 72; Israel, 74
Thirumalachar, M.J., 11
Thrips angusticeps, root crops, Denmark, 93
» *tabaci*, tomato and potato, Israel, 14; cotton, Israel, 15
Tilia platyphyllos, mite, USA, 189
Tilletia caries, wheat, Sudan, 77
Tobacco, diseases, Sudan, 4, 161, 165; USA, 134; mosaic, Ceylon, 40; New Guinea, 156; reaction to chrysanthemum virus B, USA, 57
Tolyposporium ehrenbergii, sorghum, Sudan, 75
» *penicillariae*, pearl millet, Sudan, 76
Tomaspis spectabilis, sugar cane, Bolivia, 99, 150

Tomato, diseases, India, 11, 12; Israel, 14; mosaic, New Guinea, 156; pests, Israel, 14; russet mite, Canada, 43; USA, 189
Tomostethus multicinctus, ash, Canada, 43
Toxoptera aurantii, citrus, Bolivia, 100
Trichodorus sp., avocado, USA, 106; citrus, USA, 39
Trichophorus hirtus, peach, Bolivia, 187
Trionymus sacchari, sugar cane, Bolivia, 99
Trogoderma granarium, stored grain, Afghanistan, 55; USA, 45, 157
Turf, European chafer, USA, 172; nematodes, USA, 169
Tylencholaimus sp., turf, USA, 170
Tylenchorhynchus claytoni, various plants, USA, 168
» *dubius*, various plants, USA, 169
Tylenchulus semipenetrans, citrus, USA, 36, 38
Tylenchus sp., turf, USA, 169
Typhula itoana, grasses, Finland, 102
» sp., grasses, Finland, 102

Uncinula necator, grape-vine, Israel, 14
Uraria lagopodioides, mosaic, New Guinea, 155
Uromyces phaseoli, bean, USA, 149, 179
Urries, M.J. de, 62
Ustilago maydis, maize, Sudan, 76
» *nuda*, barley, Sudan, 77
» *tritici*, wheat, Sudan, 77

Vasates destructor, tomato, Canada, 43
» *lycopersici*, tomato, USA, 189
Venturia inaequalis, apple, Denmark, 93; Italy, 109; Libya, 171
Venturia pirina, pear, Libya, 171
Verticillium albo-atrum, hop, New Zealand, 61
Vinsonia stellifera, orchid, USA, 122

Walnut, weevil, Canada, 60
Watermelon, beetle, Israel, 14; wilt, Israel, 14
Webb, F.E., 83
Wellman, Frederick L., 129
Wheat and Barley Breeding Meeting, Near East, 112, 125
Wheat, armyworm, Afghanistan, 53; beetle, Israel, 15; diseases, Sudan, 76; leaf miner, Jordan, 22, 121; nematode, USA, 180, 181; root rot, Spain, 62; sawfly, USA, 122; stripe rust, Denmark, 122; take-all, USA, 26; winter injury and diseases, Finland, 102
Wiltshire, S.P., 65, 188
Winter turnip rape, winter injury and diseases, Finland, 104
WMO Working Group on Weather and Phytopathological Problems, 176
World Bibliography of Plant Protection, 80

Xanthomonas malvacearum, cotton, Sudan, 161
» *oryzae* var., carnation, USA, 136
» *phaseoli*, soybean, USA, 26
» *ricinol?*, castor bean, Sudan, 164
Xiphinema americanum, citrus, USA, 39; turf, USA, 170
Xylotrupes gideon, coconut, Netherl. New Guinea, 61

Yam, mosaic, New Guinea, 156

Zonabris oleae, olive, Libya, 172

ERRATA

(The line numbers do not take account of titles and headings)

Page	13,	column 2,	line 9,	read	"*Lonchaea*"	for "*Louchaea*"
	23	1,	table 1 legend,		"aestivating"	"a stivating"
	28	1,	line 8		"*Symphoricarpos* sp."	"*Symphoricarpus* sp."
	44	1	29		"*Artocarpus communis*"	"*Artocarpus altilis*"
	66	2	14		"Eckelrader"	"Eckelrade"
	71	1	37		"*Metatetranychus*"	"*Metatetr nychus*"
	84	2	35–36		". . . in New Brunswick."	". . . in New Brunswick as a result of the spraying operations."
	85	1	5–6		". . . suggest the possibility of mortality from . . ."	". . . indicate the possible extent of foliage losses from . . ."
	164	2	29		"*Cercospora elaedis*"	"*Cercospora elaeidis*"
	168	1	8–9		". . . *M. arvensis* in Canada. In Michigan and Indiana, *Meloidogyne hapla* and . . ."	". . . *M. arvensis* in Michigan and Indiana. *Meloidogyne hapla* and . . ."

Roma - Tip. del Senato del dott. Giovanni Bardi